

**Oil System Cleaner**

Print date: 17.12.2015

Product code: 1303

Page 1 of 7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Oil System Cleaner

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Cleaning agent for Engines

**1.3. Details of the supplier of the safety data sheet**

Company name:	CTP-GmbH	
Street:	Saalfelder Strasse 35	
Place:	D-07338 Leutenberg	
Telephone:	+4936734/230-0	Telefax: +4936734/230-22
e-mail:	hotline@ctp-gmbh.de	
Contact person:	Jens Moeller, Dipl.-Chem.	Telephone: +4936734/230-19
Internet:	www.ctp-gmbh.de	

**1.4. Emergency telephone number:**

For Germany: +49-361-730730 (24 hours/7 days)

**Further Information**

Article Number: 33018, 33010, 33013, 33014, 33016, 33019

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Reproductive toxicity: Lact.

Specific target organ toxicity - repeated exposure: STOT RE 1

Aspiration hazard: Asp. Tox. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May be fatal if swallowed and enters airways.

May cause harm to breast-fed children.

Causes damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazardous components which must be listed on the label**

Distillates (petroleum, gasoline), hydrotreated light

Chlorparaffines C14-C28

**Signal word:** Danger**Pictograms:****Hazard statements**

H304	May be fatal if swallowed and enters airways.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

**Oil System Cleaner**

Print date: 17.12.2015

Product code: 1303

Page 2 of 7

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P260 Do not breathe vapour/aerosole.
- P263 Avoid contact during pregnancy/while nursing.
- P270 Do not eat, drink or smoke when using this product.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P501 Dispose of this material and its container to hazardous or special waste collection point.

**Special labelling of certain mixtures**

- EUH066 Repeated exposure may cause skin dryness or cracking.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

- Anti Friction Components
- Detergents, Dispersants
- Synthetic agent combinations
- corrosion preventing agent

**Hazardous components**

CAS No	Chemical name	Quantity
	EC No	Index No
		REACH No
	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
64742-82-1	Distillates (petroleum, gasoline), hydrotreated light	95 - < 100 %
	919-164-8	01-2119473977-17
	STOT RE 1, Asp. Tox. 1, Aquatic Chronic 3; H372 H304 H412 EUH066	
85535-85-9	Chlorparaffines C14-C28	1 - < 5 %
	287-477-0	01-2119519269-33
	Lact., Aquatic Acute 1, Aquatic Chronic 1; H362 H400 H410 EUH066	

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

Take off immediately all contaminated clothing, including underwear and shoes .  
Subsequently wash off with: Water and soap.  
Seek medical attention if problems persist.

**After contact with eyes**

Remove contact lenses.  
Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. After ingestion of absorption substances: Consult physician.

**Oil System Cleaner**

Print date: 17.12.2015

Product code: 1303

Page 3 of 7

**After ingestion**

Let water be drunken in little sips (dilution effect). Consult physician.  
Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

Frequently or prolonged contact with skin may cause dermal irritation.  
Irritation of eyes: Irritant effect possible.  
After ingestion: Harmful: may cause lung damage if swallowed.

**4.3. Indication of any immediate medical attention and special treatment needed**

Warning about danger of aspiration.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Extinguishing powder. Sand. Carbon dioxide (CO<sub>2</sub>). alcohol resistant foam.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Formation of decomposition products possible.  
In case of fire and/or explosion do not breathe fumes.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Cool endangered container in case of fire.  
Beat down gas/vapours/mist with water spray.  
Contaminated fire-fighting water must be collected separately.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Wear a self-contained breathing apparatus and chemical resistant suit.  
Keep away from sources of ignition. - No smoking.  
Do not breathe gas/fumes/vapour/spray.

**6.2. Environmental precautions**

Beat down gas/vapours/mist with water spray.  
Do not allow to enter into surface water or drains.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**6.3. Methods and material for containment and cleaning up**

Prevent spreading of spillages (e.g. by oil barrier).  
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

**6.4. Reference to other sections**

No data

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

The substance should only be handled in closed apparatus or systems. Vapours / aerosols must be extracted by suction immediately at point of origin.  
Avoid contact with skin and eyes.

**Advice on protection against fire and explosion**

Keep away from sources of ignition. - No smoking.

**Oil System Cleaner**

Print date: 17.12.2015

Product code: 1303

Page 4 of 7

Take precautionary measures against static discharges.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Do not store at temperatures over: 50 °C

Take precautionary measures against static discharges.

**7.3. Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.2. Exposure controls****Protective and hygiene measures**

Take off immediately all contaminated clothing

Do not breathe gas/fumes/vapour/spray.

Avoid contact with skin and eyes.

Keep away from food, drink and animal feeding stuffs.

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

**Eye/face protection**

Wear tightly sealed safety glasses against possible splashes into the eyes. (EN 166)

**Hand protection**

Tested protective gloves are to be worn: NBR (Nitrile rubber). FKM (Fluoroelastomer (Viton)). (EN374)

**Skin protection**

Wear suitable solvent-proof protective clothing according to EN 465.

**Respiratory protection**

In case of accumulation of fumes/aerosols, provide adequate ventilation.

In case of fire: Wear self-contained breathing apparatus.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	green
Odour:	aromatic

**Test method****Changes in the physical state**

Initial boiling point and boiling range: 180 - 220 °C

Flash point: > 61 °C

Ignition temperature: > 200 °C

Vapour pressure: 20 hPa  
(at 20 °C)

Density (at 20 °C): 0,790 - 0,820 g/cm<sup>3</sup>

Water solubility: insoluble  
(at 20 °C)

**Solubility in other solvents**

Organic solvents

**Oil System Cleaner**

Print date: 17.12.2015

Product code: 1303

Page 5 of 7

**9.2. Other information**

No data

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

**10.2. Chemical stability**

No decomposition when used as intended.

**10.3. Possibility of hazardous reactions**

No dangerous reactions are known.

**10.4. Conditions to avoid**

Only use the material in places where open light, fire and other flammable sources can be kept away.

No decomposition when used as intended.

**10.5. Incompatible materials**

Oxidizing agents. acid, concentrated. Alkalis (alkalis), concentrated.

**10.6. Hazardous decomposition products**

No hazardous decomposition products are known.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
64742-82-1	Distillates (petroleum, gasoline), hydrotreated light				
	oral	LD50	>5000 mg/kg	Rat	
	dermal	LD50	>3400 mg/kg	Rabbit	
85535-85-9	Chlorparaffines C14-C28				
	oral	LD50	4000 mg/kg	Rat	
	dermal	LD50	4000 mg/kg	Rat	
	inhalative (1 h) vapour	LC50	48170 mg/l	Rat	

**Irritation and corrosivity**

After skin contact: Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

**Sensitising effects**

no danger of sensitization.

**SECTION 12: Ecological information****12.1. Toxicity**

**Oil System Cleaner**

Print date: 17.12.2015

Product code: 1303

Page 6 of 7

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
64742-82-1	Distillates (petroleum, gasoline), hydrotreated light					
	Acute fish toxicity	LC50	10-100 mg/l	96 h	Oncorhynchus mykiss	
	Acute algae toxicity	ErC50	50-100 mg/l	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50	10-22 mg/l	48 h	Daphnia magna	
85535-85-9	Chlorparaffines C14-C28					
	Acute algae toxicity	ErC50	3,2 mg/l	96 h	Algae	

**12.2. Persistence and degradability**

No information available.

**12.3. Bioaccumulative potential**

Low potential of bio-accumulation.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

No information available.

**12.6. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Advice on disposal**

Do not dispose with household waste.

Do not allow to enter into surface water or drains.

Arrange about the exact waste code with the local waste disposal expert.

Have to add a Special treatment in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

**Contaminated packaging**

Container must be completely emptied.

Do not pierce, cut up or weld unclean container. (Explosion hazard.)

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

**14.1. UN number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

**Other applicable information (land transport)**

No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

**Other applicable information (inland waterways transport)**

No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**



## Safety Data Sheet

bluechem   
GROUP

according to Regulation (EC) No 1907/2006

### Oil System Cleaner

Print date: 17.12.2015

Product code: 1303

Page 7 of 7

#### Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

#### Air transport (ICAO)

#### Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information available.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

##### Additional information

Contains:

> 30 % hydrocarbons, aliphatic.

##### National regulatory information

Water contaminating class (D): 2 - water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*